

With a fresh look and frameless design, Elevate presents an entirely new range of sign solutions to the design community and offers 100% updatability at the facility level.



Patent Protected.

System Overview **4.9.102**

Insert / Display Options

 Acrylic Bands **4.9.103**

 Satin Anodized Aluminum Bands **4.9.103**

 Aluminum Divider Bars **4.9.104-105**

 ADA Inserts **4.9.106**

 Decorative Aluminum Composite Image Bands **4.9.107**

 Aluminum Insert Slots **4.9.108**

 Aluminum Changeable Slides **4.9.108**

 Acrylic Windows **4.9.109**

 Decorative Shape Headers & Inserts **4.9.110**

 Decorative Shape ADA Headers & Inserts **4.9.111**

Other Mounting Options (Non-Wall Mount)

 Panel Clip for Office Partition **4.9.112**

 Desk Stand **4.9.112**

 Projection Wall Mount **4.9.113**

 Glass Backup (GBU) **4.9.114**

 Ceiling Mount **4.9.115**

 Kiosk **4.9.116-117**

SignWord Paper Inserts **4.9.118**

Standard Configurations

Reference the Elevate Solutions Brochures for a wide range of standard sign configurations and sizes.



Overview

Elevate has a unique floating appearance, yet display components are securely engaged within a precisely engineered, concealed aluminum chassis.


Because of its frameless design, Elevate is the ideal system to showcase the latest direct-print technologies, including full-bleed graphics around all edges of display panels for greater visual impact.

Features

- Frameless
- No Insert Tool Needed
Inserts removed by shifting left and pulling outward.
- Unique Floating Appearance
- Precision-Engineered, High-Quality Components
- Modular
- User-Updatable Solutions
- Concealed Tamper Proof Option
- Ability for Graphics to Bleed around Panel Edges
- Compatible with InfoLock Patient Information System
- For Interior Use Only


Standard Sign Widths/Codes

6"	EV06
8.5"	EV85
11"	EV11
14"	EV14
17"	EV17
22"	EV22



Tamper Proof Feature (Optional)

To prevent removal of inserts, an optional clear PETG locking pin can be inserted into the left side of the chassis. When used, the locking pin prevents the Preslock and insert from being shifted to the left. The locking pin is removed by using the eraser end of a pencil or similar object.



Patent Protected

Acrylic Bands



EV-ACR

1/8" thick laser-cut acrylic with painted background/edges and direct flatbed print graphics.

Standard Color/Graphics Options

- Painted Background, 1-Color
- 1st Surface, Flatbed-Print Graphics.

Codes

"EV-ACR" followed by 2-digit height & 2-digit width.

Examples:


- EV-ACR1506 1-1/2"h x 6"w
- EV-ACR8585 8-1/2"h x 8-1/2"w
- EV-ACR0611 6"h x 11"w

Height*	Widths					
	6"	8.5"	11"	14"	17"	22"
1.5"	•	•	•	•	n/a	n/a
2"	•	•	•	•	•	•
2.5	•	•	•	•	•	•
3"	•	•	•	•	•	•
4"	•	•	•	•	•	•
6"	•	•	•	•	•	•
8.5"	•	•	•	•	•	•
11"	•	•	•	•	•	•
14"	•	•	•	•	•	•
17"	•	•	•	•	•	•

***IMPORTANT!**

Smallest sign height is 2.5".

Satin Anodized Aluminum Bands



EV-ALU

1/8" thick, CNC-cut aluminum with a satin anodized finish. Edges are brushed. Graphics are direct flatbed print.

Codes

"EV-ALU " followed by 2-digit height & 2-digit width.

Examples:

- EV-ALU1506 1-1/2"h x 6"w
- EV-ALU8585 8-1/2"h x 8-1/2"w
- EV-ALU0611 6"h x 11"w


Height*	Widths					
	6"	8.5"	11"	14"	17"	22"
1.5"	•	•	•	•	n/a	n/a
2"	•	•	•	•	•	•
2.5	•	•	•	•	•	•
3"	•	•	•	•	•	•
4"	•	•	•	•	•	•
6"	•	•	•	•	•	•
8.5"	•	•	•	•	•	•
11"	•	•	•	•	•	•
14"	•	•	•	•	•	•
17"	•	•	•	•	•	•

***IMPORTANT!**

Smallest sign height is 2.5".

Patent Protected

Large Divider Bar



EV-DBL & EV-DBL-NR

1/4" h x 1/4" t solid aluminum bar with a satin anodized finish (standard). Adhered to components that align within the chassis and are retained by the insert above and below.

Codes

DV-DBL__
- with 1/16" Reveal

DV-DBL-NR__
- with NO Reveal


Codes are followed by the 2-digit width.
Example:
EV-DBL-NR85 indicates an 8-1/2" large divider with no reveal

	Widths					
Size	6"	8.5"	11"	14"	17"	22"
1/4" x 1/4"	•	•	•	•	•	•

IMPORTANT!

It is possible to use a no-reveal divider bar within a standard Elevate sign that features 1/16" reveals for all other inserts.

Small Divider Bar



EV-DBS & EV-DBS-NR

1/4" h x 1/8" t solid aluminum bar with a satin anodized finish (standard). 1/8" thickness will flush out with standard Elevate inserts.

Codes

DV-DBS__
- with 1/16" Reveal

DV-DBS-NR__
- with NO Reveal

Codes are followed by the 2-digit width.
Example:
EV-DBS-NR85 indicates an 8-1/2" small divider with no reveal

	Widths					
Size	6"	8.5"	11"	14"	17"	22"
1/4" x 1/4"	•	•	•	•	•	•

IMPORTANT!

It is possible to use a no-reveal divider bar within a standard Elevate sign that features 1/16" reveals for all other inserts.

Patent Protected

Header/Base Divider Bar



Size	Widths					
	6"	8.5"	11"	14"	17"	22"
Large 1/4" x 1/4"	•	•	•	•	•	•
Small 1/4" x 1/8"	•	•	•	•	•	•

Either Large (1/4" x 1/4") or Small (1/4" x 1/8") aluminum divider bar is permanently attached flush to the top of a standard Elevate header insert or the bottom of a base insert via a concealed aluminum connector.

IMPORTANT

A 2" minimum height is required for the Header/Base insert
 A 2-1/2" minimum height is required if it is a single-insert sign

Codes

Add the following suffixes to the standard Elevate code for the header/base insert:

With 1/16" Inter-Insert Reveal

- DBLH Large divider bar attached to Header Insert
- DBLB Large divider bar attached to Base Insert
- DBSB Small divider bar attached to Header Insert
- DBSB Small divider bar attached to Base Insert

With NO Inter-Insert Reveal

- DBLH-NR Large divider bar attached to a Header
- DBLB-NR Large divider bar attached to a Base
- DBLHB-NR Large divider bars attached to Top & Bottom of a single insert
- DBSH-NR Small divider bar attached to a Header
- DBSB-NR Small divider bar attached to a Base
- DBSHB-NR Small divider bars attached to Top & Bottom of a single insert

Example

EV341A-A0385-DBLH-NR
 Large header insert with no reveal attached to 3"h x 8.5" ADA

Patent Protected

Standard ADA Option

Acrylic with Direct Print Raised Characters and Fully Domed Braille



EV-341A-DPT

1/8" thick laser-cut acrylic with APCO's DP-Tactile process direct-print tactile characters and fully domed Braille. Non-raised graphics are flatbed printed.

Photopolymer ADA Insert Codes

"EV-341A-DPT" followed by 2-digit height & 2-digit width.

Examples:

- EV-341A-DPT-2585 2-1/2"h x 8-1/2"w
- EV-341A-DPT-0606 6"h x 6"w
- EV-341A-DPT-0485 4"h x 8-1/2"w

Height*	Widths				
	6"	8.5"	11"	14"	17"
2"	•	•	•	n/a	n/a
2.5	•	•	•	•	•
3"	•	•	•	•	•
4"	•	•	•	•	•
6"	•	•	•	•	•
8.5"	•	•	•	•	•
11"	•	•	•	•	•
14"	•	•	•	•	•
17"	•	•	•	•	•

***IMPORTANT!**

Smallest sign height is 2.5".

Specialized ADA Option #1

Satin Anodized Aluminum with Direct Print Raised Characters and Fully Domed Braille



EV-ALU-DPT

1/8" thick CNC-cut aluminum with a satin anodized finish, with APCO's DP-Tactile process direct-print tactile characters and fully domed Braille. Non-raised graphics are flatbed printed.

Codes

"EV-ALU-DPT " followed by 2-digit height & 2-digit width.

Examples:

- EV-ALU-DPT2585 2-1/2"h x 8-1/2"w
- EV-ALU-DPT0606 6"h x 6"w
- EV-ALU-DPT0485 4"h x 8-1/2"w


Height*	Widths				
	6"	8.5"	11"	14"	17"
2"	•	•	•	n/a	n/a
2.5	•	•	•	•	•
3"	•	•	•	•	•
4"	•	•	•	•	•
6"	•	•	•	•	•
8.5"	•	•	•	•	•
11"	•	•	•	•	•
14"	•	•	•	•	•
17"	•	•	•	•	•

***IMPORTANT!**

Smallest sign height is 2.5".

Patent Protected

Decorative Image Bands



1/8" (3mm) thick ACM with a flatbed printed background image. The printed aluminum skin of the ACM wraps around all four edges of the band.

Product Codes

"EV-ACM(height x width)-IG_____

Example:

EV-ACM1511-IGWA01

1-1/2"h x 11"w band with Water Refraction Image

Notes

Design/artwork charges may apply for flatbed-print background images not part of the listed here.

Before committing to custom, darker images, printing needs to be tested in advance by APCO to ensure proper ink adhesion during the bending process.

Lower Cost Alternative

For a more economical solution, images can also be printed on standard Acrylic Color Bands (EV-ACR) but without wrap-around graphics. Insert edges are painted a coordinating solid color.

Height*	Widths					
	6"	8.5"	11"	14"	17"	22"
1.5"	•	•	•	•	n/a	n/a
2"	•	•	•	•	•	•
2.5	•	•	•	•	•	•
3"	•	•	•	•	•	•
4"	•	•	•	•	•	•
6"	•	•	•	•	•	•
8.5"	•	•	•	•	•	•
11"	•	•	•	•	•	•
14"	•	•	•	•	•	•
17"	•	•	•	•	•	•

***IMPORTANT!**

Smallest sign height is 2.5".

Images from the Imagine System

Floral

- EV-ACM_____IGFL02 Yellow Daisies
- EV-ACM_____IGFL03 Orange Lilies
- EV-ACM_____IGFL04 White Mum
- EV-ACM_____IGFL05 Blue Myosotis

Sky

- EV-ACM_____IGSK01 Scattered Clouds
- EV-ACM_____IGSK02 Purple Sky
- EV-ACM_____IGSK03 Puffy Clouds
- EV-ACM_____IGSK04 Orange Sunset
- EV-ACM_____IGSK05 Sun Through Clouds

Water

- EV-ACM_____IGWA01 Water Refraction
- EV-ACM_____IGWA02 Fern Water Droplet
- EV-ACM_____IGWA03 Water Drops
- EV-ACM_____IGWA04 Soft Blue Waves
- EV-ACM_____IGWA05 Ocean Surf

Grass

- EV-ACM_____IGGR01 Grass
- EV-ACM_____IGGR02 Bamboo
- EV-ACM_____IGGR03 Dew on Grass
- EV-ACM_____IGGR04 Wheat Field
- EV-ACM_____IGGR05 Black & White Grass

Leaves

- EV-ACM_____IGLE01 Orange Maple Leaves
- EV-ACM_____IGLE02 Skeletal Leaves
- EV-ACM_____IGLE04 Leaf Imprints
- EV-ACM_____IGLE05 Autumn Leaves

Stones/Rocks

- EV-ACM_____IGSR01 Grey River Stones
- EV-ACM_____IGSR02 Tan Slate
- EV-ACM_____IGSR03 Red Canyon
- EV-ACM_____IGSR05 Limestone

Decorative Wood Images from the Elements System*

- EV-ACM_____IGDWM1 Maple
- EV-ACM_____IGDWW2 Walnut
- EV-ACM_____IGDWO3 Oak
- EV-ACM_____IGDWC4 Cherry

* These are images created from high resolution scans of the Elements range of decorative wood vinyls.

Pets

- EV-ACM_____IGPE01 Dog
- EV-ACM_____IGPE02 Ferret
- EV-ACM_____IGPE03 Kitten
- EV-ACM_____IGPE04 Parrot
- EV-ACM_____IGPE05 Bunny

Landscapes

- EV-ACM_____IGLS02 Flowers & Mountains
- EV-ACM_____IGLS03 Green Meadow
- EV-ACM_____IGLS04 Waterfall
- EV-ACM_____IGLS05 Fog in the Woods

Architectural

- EV-ACM_____IGAR01 Modern Shapes
- EV-ACM_____IGAR02 Architectural Lines
- EV-ACM_____IGAR03 Skylight
- EV-ACM_____IGAR04 Glass Wall
- EV-ACM_____IGAR05 Columns

Wood

- EV-ACM_____IGWD01 Bamboo Strips
- EV-ACM_____IGWD03 Cork
- EV-ACM_____IGWD05 Burlled Maple

Art

- EV-ACM_____IGAT01 Colorful Squares
- EV-ACM_____IGAT02 Impressionism
- EV-ACM_____IGAT03 Colorful Shapes
- EV-ACM_____IGAT04 Paint Splatter

Children

- EV-ACM_____IGCH01 Crayons
- EV-ACM_____IGCH02 Baby Foot
- EV-ACM_____IGCH03 Hand Prints
- EV-ACM_____IGCH04 Adhesive Bandage
- EV-ACM_____IGCH05 Blocks

Decorative Wood Images from the Elements 2 System**

- EV-ACM-IGF03 Cognac Maple
- EV-ACM-IGF02 Cherry Birch
- EV-ACM-IGW02 Monticello Maple
- EV-ACM-IGF01 Amber Maple

** These are images created from high resolution scans of the Elements 2 range of Wilsonart and Formica wood laminates.

Patent Protected

Insert Slot



EV-IS


Extruded aluminum InsertSlot to accept paper inserts with non-glare Lexan overlays.

This Standard InsertSlot Option features clear .020" PETG, push-down end caps on the left and right sides of the band.

Notes

SATIN ANODIZED finish is recommended, but painted finishes are available.

InsertSlots with no caps or a cap on only one side are optional. Please specify accordingly.






See page 4.9.113 for compatible SignWord paper inserts.

Height*	Code	Widths				
		6"	8.5"	11"	14"	17"
1.5"	EV-IS15	•	•	•	•	•
2"	EV-IS20	•	•	•	•	•
2.5"	EV-IS25	•	•	•	•	na
3"	EV-IS30	•	•	•	•	na

*IMPORTANT!

Smallest sign height is 2.5".



Push-down End Caps

Slider



EV-SL

Extruded aluminum InsertSlot with discreet .020" clear PETG endcaps on both sides and flatbed printed or painted vinyl sliding component. "In-Use" etc. graphics are flatbed printed on the InsertSlot band.

Notes

SATIN ANODIZED finish is recommended, but painted finishes are available.

Height*	Widths	
	6"	8.5"
1.5"	EV-SL1506	EV-SL1585

*IMPORTANT!

Smallest sign height is 2.5".

Patent Protected

Acrylic Windows



EV-WIN


Non-glare lens with pocket to house a sub-surface, digitally printed insert. Subsurface thumbslot enables easy insert replacement.


For 3" h, 4" h and 6" h Inserts

Backer is 1/16" thick opaque acrylic and face is 1/16" non-glare acrylic. Pocket is created with 1/4" x .045 tape at the top and bottom, concealed with 7/16" subsurface printed borders. Overall thickness is approximately 5/32".


For Inserts Larger Than 6" h


Backer is a rigid, .080" (2mm) aluminum composite panel and face is 1/16" non-glare acrylic. Pocket is created with 1/4" x .045 tape at the top and bottom, concealed with 7/16" subsurface printed borders. Overall thickness is approximately 3/16".




EV-WIN03 
3" h (OD) x ___" w
Insert: 2-3/8" h





EV-WIN04 
4" h (OD) x ___" w
Insert: 3-3/8" h




EV-WIN06 
6" h (OD) x ___" w
Insert: 5-3/8" h



EV-WIN85 
9-1/8" h (OD) x ___" w
Insert: 8-1/2" h





EV-WIN11 
11-5/8" h (OD) x ___" w
Insert: 11" h

Overall Height	Widths				
	6"	8.5"	11"	14"	17"
3"	•	•	na	na	na
4"	•	•	na	na	na
6"	•	•	•	na	na
9-1/8"	•	•	•	na	na
11-5/8"	•	•	•	•	•
14-5/8"	na	•	•	na	na
17-5/8"	na	•	•	na	na




Perforated SignWord paper is available for the 3" and 4" windows. Non-perforated paper is available for the other sizes. See page 4.9.113 for SignWord paper options.





EV-WIN14 
14-5/8" h (OD) x ___" w
Insert: 14" h



EV-WIN17 
17-5/8" h (OD) x ___" w
Insert: 17" h


Patent Protected

Decorative Shape Headers



Arc
EV-DS-AC _____
EV-ALU-AC _____

Example:
EV-DSAC0385
3"h x 8.5"w Acrylic Arc Shape Insert



Curve
EV-DS-CV _____
EV-ALU-CV _____


Example:
EV-DSCV2506
2.5"h x 6"w Acrylic Curve Shape Insert

Acrylic EV-DS

1/8" thick computer-cut decorative acrylic shape with painted background color, painted edges and direct flatbed print graphics.

Aluminum EV-ALU-DS

1/8" thick, CNC-cut satin anodized aluminum with brushed edges. Graphics are direct flatbed printed.



Scroll
EV-DS-SC _____
EV-ALU-SC _____

Example:
EV-ALUSC0414
3-3/4"h x 14"w Aluminum Scroll Shape Insert

Overall Height	Widths					
	6"	8.5"	11"	14"	17"	22"
2-1/2"	•	na	na	na	na	na
3" *	na	•	•	na	na	na
4" **	na	na	na	•	•	na
	na	na	na	na	na	•

NOTE!

Heights are nominal.

* Actual height for 11" widths is 3-3/8"h.



** Actual height for 14" width is 3-3/4"h.

Actual height for 17" width is 3-7/8"h.

Actual height for 22" width is 4-1/4"h.

Patent Protected

Decorative Shape ADA Headers



Arc

EV-341DSAC-DPT-_____
EV-ALUDSAC-DPT-_____

Example:
 EV-341DSAC-DPT-0385
 3"h x 8.5"w Arc Shape ADA Insert



Curve

EV-341DSCV-DPT-_____
EV-ALUDSCV-DPT-_____

Example:
 EV-341DSCV-DPT-2506
 2.5"h x 6"w Curve Shape ADA Insert

Acrylic


EV-341DS__-DPT

1/8" thick laser-cut acrylic with APCO's DP-Tactile process direct-print tactile characters and fully domed Braille. Non-raised graphics are flatbed printed.

Satin Anodized Aluminum

EV-ALUDS__-DPT

1/8" thick CNC-cut aluminum with a satin anodized finish, with APCO's DP-Tactile process direct-print tactile characters and fully domed Braille. Non-raised graphics are flatbed printed.



Scroll

EV-341DSSC-DPT-_____
EV-ALUDSSC-DPT-_____

Example:
 EV-ALUDSSC-DPT-0311
 3-3/8"h x 11"w Satin Anodized Aluminum
 Scroll Shape ADA Insert

Overall Height	Widths				
	6"	8.5"	11"	14"	17"
2-1/2"	•	na	na	na	na
3" *	na	•	•	na	na
4" **	na	na	na	•	•

NOTE!

Heights are nominal.


* Actual height for 11" widths is 3-3/8"h.

** Actual height for 14" width is 3-3/4"h.

Actual height for 17" width is 3-7/8"h.


Patent Protected

Panel Clips




EVPC

.040" satin anodized formed aluminum panel clips for 6" or 8-1/2" Elevate signs up to 5" in height



Flush Configuration





Step-Down Configuration

Code	Sign Width	Max Sign Height
EVPC-06	6"	5"
EVPC-85	8-1/2"	5"

- A** = Variable
- B** = Variable
- C** = Visible Height ABOVE Sign Insert
(in example at above left, C = 0)
- D** = Same as Width of Sign Chassis
4" for EV06
6.5" for EV85

Desk Stand




EVDS

.040" satin anodized formed aluminum desk stand for 6" or 8-1/2" Elevate signs up to & including 3.5" in height.

Code	Sign Width	Max Sign Height
EVDS-06	6"	3.5"
EVDS-85	8-1/2"	3.5"

Patent Protected

Projection Wall Mount



EVPWM

Single 1/8" Acrylic display panels are permanently attached to a recessed 1/2" black Sintra core, simulating the look of an Elevate assembly but offering a lightweight, cost-effective projection wall mount (PWM) solution.

Decorative Bands/Images are printed directly to the display panel.

Height	Width	Code	Description
6"	6"	EVPWM-0606-0	Square Display Panels
		EVPWM-0606-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
8.5"	8.5"	EVPWM-8585-0	Square Display Panels
		EVPWM-8585-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
11"	8.5"	EVPWM-1185-0	Square Display Panels
		EVPWM-1185-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
8.5"	11"	EVPWM-8511-0	Square Display Panels
		EVPWM-8511-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
11"	11"	EVPWM-1111-0	Square Display Panels
		EVPWM-1111-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
10"	14"	EVPWM-1014-0	Square Display Panels
		EVPWM-1014-1, -2 or -3	Arc, Curve or Scroll Shape Panels *
14"	14"	EVPWM-1414-0	Square Display Panels
		EVPWM-1414-1, -2 or -3	Arc, Curve or Scroll Shape Panels *

Decorative Shape Panels *



-1 Arc



-2 Curve



-3 Scroll

*** HEIGHT OF DECORATIVE SHAPE PANELS**

Decorative shape insert heights are nominal. Heights listed reference the corresponding, standard rectangular insert. Heights of decorative shapes may be adjusted slightly upward in order to ensure proper sizing relative to the recessed inner core.

Patent Protected

Glass Backups


When mounting an Elevate sign to a glass surface, as a standard, painted .015" adhesive-backed vinyl is applied to the opposite side of the glass to conceal both the back side of the Elevate chassis as well as the overhanging inserts/displays.

EV-GBU

Unless otherwise specified, .015" thick painted vinyl is laser-cut to the outside dimensions of the Elevate sign (i.e. of the overhanging inserts/displays), not the chassis. If a custom size GBU is needed, please specify clearly.



Ceiling Signs



EVOH

Single 1/8" acrylic display panels are permanently attached to a 1/2" black Sintra core, simulating the look of an Elevate assembly but offering a lightweight, cost-effective overhead solution.


Decorative Bands/Images are printed directly to the display panel.

Height	Width	Flush Mount Code	Suspended Mount Code
8"	36"	EVOH-0836FM	EVOH-0836SM
	42"	EVOH-0842FM	EVOH-0842SM
	48"	EVOH-0848FM	EVOH-0848SM
	54"	EVOH-0854FM	EVOH-0854SM
	60"	EVOH-0860FM	EVOH-0860SM
	66"	EVOH-0866FM	EVOH-0866SM
	72"	EVOH-0872FM	EVOH-0872SM
10"	36"	EVOH-1036FM	EVOH-1036SM
	42"	EVOH-1042FM	EVOH-1042SM
	48"	EVOH-1048FM	EVOH-1048SM
	54"	EVOH-1054FM	EVOH-1054SM
	60"	EVOH-1060FM	EVOH-1060SM
	66"	EVOH-1066FM	EVOH-1066SM
	72"	EVOH-1072FM	EVOH-1072SM
12"	36"	EVOH-1236FM	EVOH-1236SM
	42"	EVOH-1242FM	EVOH-1242SM
	48"	EVOH-1248FM	EVOH-1248SM
	54"	EVOH-1254FM	EVOH-1254SM
	60"	EVOH-1260FM	EVOH-1260SM
	66"	EVOH-1266FM	EVOH-1266SM
	72"	EVOH-1272FM	EVOH-1272SM
84"	EVOH-1284FM	EVOH-1284SM	

Patent Protected


Kiosks

Offering the same functionality and insert/display options as the wall-mount version of the Elevate system, including a concealed tamper-proof feature, the Kiosk is the perfect solution for directing traffic or displaying information in open areas.




1/4" Thick Powder-Coated Steel Baseplate


Standard
- Silver
- Black









Top View



EVKS4811
48"h x 11"w Kiosk with Standard 1/16" Inter-Insert Reveals



EVKS6014
60"h x 14"w Kiosk with Standard 1/16" Inter-Insert Reveals




EVKS6617
66"h x 17"w Kiosk with
Standard 1/16"
Inter-Insert Reveals

EVKS7217
72"h x 17"w Kiosk with
Standard 1/16"
Inter-Insert Reveals

EVKS7222
72"h x 22"w Kiosk with
Standard 1/16" Inter-
Insert Reveals

SignWord® Paper Inserts

Sold in packages of 50 sheets



FREE SignWord Pro software download at
www.apcosigns.com.

Standard Paper Color

- A72 Bone White with
A00 White on Reverse
- A43 Putty with
A94 Sand on Reverse
- A78 Pearl Grey with
A98 Pearl Light on Reverse

Insert Height	Paper Width	Paper Code	Holder(s)	Per Sheet
1.375"h	14"w	SWEV1514	EV-IS15	5
1.375"h	17"w	SWEV1517		7
1.875"h	14"w	SWEV2014	EV-IS20	4
1.875"h	17"w	SWEV2017		5
2.375"h	14"w	SWEV2514	EV-IS25 EV-WIN03	3
2.875"h	14"w	SWEV3014	EV-IS30	2
3.375"h	14"w	SWMS90	EV-WIN04	2
11"h	8.5"w	SWAR8511		1
<i>Letter Size, Non-Perforated Paper</i>				
14"h	8.5"w	SWAR8514		1
<i>Legal Size, Non-Perforated Paper</i>				
17"h	11"w	SWAR1117		1
<i>Tabloid Size, Non-Perforated Paper</i>				

Patent Protected