

Symbol size is always specified by height. Even though certain symbols are greater in width (M9, M23), indicate the height, but consider horizontal area to insure adequate left and right margins.

Standard Symbols

- S1 No Smoking
- S2 Smoking
- S3 International Symbol of Accessibility
- S4 Telephone
- S5 Bar
- S6 Restaurant
- S7 Coffee Shop
- S8 Shops
- S9 Lost and Found
- S10 Hotel Information
- S11 Information
- S12 First Aid
- S13 Restroom
- S14 Restroom, Men
- S15 Restroom, Women
- S16 Tickets
- S17 Taxi
- S18 Bus
- S19 Ground Transportation
- S20 Car Rental
- S21 Air Transportation
- S22 Heliport
- S23 Rail Transportation
- S24 Water Transportation
- S25 Baggage Claim
- S26 Currency Exchange
- S27 Immigration
- S28 Customs
- S29 Elevator
- S30 Baggage Lockers
- S31 Mail
- S32 No Parking
- S33 Parking
- S34 No Entry
- S35 Departing Flights
- S36 Coat Check
- S37 Exit / Entrance
- S38 Litter Disposal
- S39 Drinking Fountain
- S40 Nursery
- S41 Waiting Room
- S42 Cashier
- S43 Escalator
- S44 Passenger Pick-Up
- S45 No Dogs
- S46 Beauty Salon
- S47 Barber Shop
- S48 Stairs
- S49 Reserved
- S50 Lockers
- S51 Stop
- S52 High Voltage
- S53 Library
- S54 No Food or Drink
- S55 Vending
- S56 No Drinking & Driving
- S57 Men / Women Restroom (No Separation)
- S58 Men / Women Handicap Restroom (No Separation)
- S59 Women Handicap Restroom
- S60 Men Handicap Restroom
- S61 Transgender or Multi-Use Restroom
- S62 Transgender or Multi-Use Handicap Restroom
- S62 Toilet



Symbol size is always specified by height. Even though certain symbols are greater in width (M9, M23), indicate the height, but consider horizontal area to insure adequate left and right margins.


Medical Symbols

M1 First Aid		M2	M3	M4	M5	M6
M2 Admissions	M1	M2	M3	M4	M5	M6
M3 Dermatology		M8	M9	M10	M11	M12
M4 Nurse	M7	M8	M9	M10	M11	M12
M5 General Care		M14	M15	M16	M17	M18
M6 Mental Health	M13	M14	M15	M16	M17	M18
M7 Child Care		M19	M20	M21	M22	M23
M8 Ears, Nose & Throat	M19	M20	M21	M22	M23	M24
M9 Eye Clinic		M25	M27	M28	M29	M30
M10 Intensive Care	M25	M25	M27	M28	M29	M30
M11 Doctor		M31	M32	M33	M34	M36
M12 Pharmacy	M31	M32	M33	M34	M35	M36
M13 Biological Hazard		M37	M38	M39	M40	M42
M14 Maternity	M37	M38	M39	M40	M41	M42
M15 Speech & Hearing		M43	M44	M45	M46	M48
M16 X-ray	M43	M44	M45	M46	M47	M48
M17 Laboratory		M49	M50	M51	M52	M54
M18 Laboratory	M49	M50	M51	M52	M53	M54
M19 Shower		M55	M56	M57	M58	M59
M20 Orthopedics	M55	M56	M57	M58	M59	M60
M21 Chapel		M61	M62	M63	M64	
M22 Radiation	M61	M62	M63	M64		
M23 Podiatry						
M24 Rehabilitation						
M25 Nursery						
M26 Physical Therapy						
M27 Occupational Therapy						
M28 Outpatient						
M29 Blood Bank						
M30 Dental Care						
M31 Nuclear Medicine						
M32 EEG						
M33 Visitors						
M34 EKG						
M35 Respiratory Therapy						
M36 Medical Records						
M37 Quiet						
M38 Laser						
M39 Recovery						
M40 Waiting Room						
M41 First Aid						
M42 Bath						
M43 Poison						
M44 Intensive Care						
M45 Slippery When Wet						
M46 Eye Wash						
M47 Pharmacy						
M48 Cadeusus						
M49 No Cell Phones						
M50 Hearing Protection Required						
M51 Baby Changing Station (Male)						
M52 Baby Changing Station (Female)						
M53 Hearing Assistance						
M54 Gift Shop						
M55 Radiation Warning (OSHA Colors)						
M56 Biohazard (OSHA Colors)						
M57 Text Telephone						
M58 Volume Control						
M59 Recycle						
M60 No Weapons						
M61 Baby Changing Station (Unisex)						
M62 Biohazard (Header Copy)						
M63 Radiation (Tag Line v1)						
M64 Radiation (Tag Line v2)						

Symbol size is always specified by height. Even though certain symbols are greater in width (M9, M23), indicate the height, but consider horizontal area to insure adequate left and right margins.

Emergency Symbols

- F1 Fire Extinguisher
- F2 Fire Extinguisher
- F3 Fire Hose
- F4 Fire Alarm
- F5 Oxygen
- F6 Fire Extinguisher
- F7 In Case of Fire, Do Not Use Elevators / Fire Exit
- F8 Fire Hose
- F9 No Open Flame
- F10 Tow Away Zone
- F11 Emergency Alarm



Arrows

As a guideline, the size of arrows or circles with arrows is usually 125% larger than the cap height of accompanying messages. Arrow size is specified using the outside dimension. For A111 & A112 arrows, specify circle diameter. All other arrows measure tip to tip.

